#### Enhancements From R6, R7.x to R9





# Implementation Status in R9 (EPDM)

David Kemp david.kemp@cistech.net








## To Enable Implementation Status








## Implementation Status



- With Release 9, every Item Revision <u>must</u> have an implementation status.
- Each Implementation Status has a set of status codes that determine how XA processes information for the Item Revision.
- An Implementation Status can be assigned to more than one Item Revision (just like Item Type, Item Class, Item Accounting Class, etc.)

## Implementation Status Object






Object icon can be placed on any card



## Default Implementation Statuses






Six Status Codes for each Implementation Status



#### Create additional Implementation Status





User Defined Implementation Statuses to fit Your Business Process



#### **Status Codes**



#### Release to Manufacturing

Used in IM, MRP, & MPSP to determine if a manufacturing order can be released

#### Release to Purchasing

Used in PM to determine if a Requisition or Purchase Order can be released

#### **Release to Sales**

Used in CSM to determine if a Customer Order can be created for the Item Revision



#### **Status Codes**



#### **Maintain Bill-of-Material**

Used in EPDM to determine if the BOM of an Item Revision can be changed

#### **Maintain Routing**

Used in EPDM to determine if the Routing of an Item Revision can be changed

#### Release to Legacy Item Master

Determines whether the Item Revision information updates the old Item Master files. This update is not required for R9 as IM, PM, OBPM now use the current Item Revision






## Maintain Routing Status Code



- If the routing is not associated with an Item Revision, then the maintain routing status code does not apply
- If the routing is associated with just one Item Revision, then the Routing can be maintained only if the status is Yes
- If the routing is associated with multiple Item Revisions, then the Routing cannot be maintained if any one Item Revision has the status of No
- The Maintain Routing value also controls whether the Routing ID in the Item Process (EPDM) can be maintained





#### Click on Create (blank Sheet) icon





(HH) Create Implemen	tation Status	
Template Default	<b>▼</b>	
Implementation status Description	DES  Released to Engineering Design	
Return here to crea	te another	
Preview before crea	ate	
Create Can	cel Help	
		1






🥏 (HH) Create Implementation	on Status - DES	- 0 X
File Display Maintain Customiz	e <u>N</u> avigation <u>H</u> elp	
Default ▼ 🞒 📹   🗋		
DES Released to Engir	neering Design	
Description	Released to Engineering Design	<u>G</u> eneral
Release to manufacturing		
Release to purchasing		
Release to sales		
Maintain bill of material	<u></u> ✓	
Maintain routing		
Release to legacy item master		
User definable 1		
User definable 2		
User definable 3		
Created by	DAVIDK	
Changed by	(blank)	
Implementation status	DES Q	
•	III -	
Create Cancel	Help	
		Pending

Note: Only Maintain BOM is checked










#### Create New Item Revision







#### Create New Purchased Item Revision



(HH) Change Item Re	vision - NJ, DK001,		_ D X
<u>File</u> <u>Display</u> <u>Maintain</u> <u>Cus</u>	stomize <u>U</u> ser <u>N</u> avigation <u>H</u> elp		
Default	<b>」 🎾 💋 🍏 🗞 徳 ザ 🎉 🗅 🦯 🕭 省 🗈</b>	중 중   🧟 🕉 💸 🕉 🔮 🔒 🔒 🕮 🗗 🕳 🕳 🕳 📥 📥	
A			
DK001 XA Tues I	Ed Purchased Item Site: NJ Arrow Production Rev:		
Description	Tues Ed Purchaseo 1	Physical Characteristics	<u>G</u> eneral
Item type	4 = Purchased  ▼ /	Stocking UM EA = EACH 🔻 🧷	Engineering Procurement
Inventory code	Inventory 🔻 🕖		Inventory
		Unit weight 0.000 Height 0.000	Sales
Item class	42 = PUNCHINGED FARTS - ELECTRO ▼	Weight UM (blank) ▼ E Length 0.000	Costs
Value class		Supplementary weight 0.000 Width 0.000	<u>I</u> ranslations Item Categories9
Department		Supplementary weight UM (blank) Inside diameter 0,000	Engineering Groups
Item accounting class	2 = RAW MATERIAL ▼	Unit volume 0.000 Outside diameter 0.000	<u>H</u> istory
Stocking UM	EA = EACH 🔻	Volume UM (blank)   □ Dimensional UM (blank)   □ Dimensional UM (blank)	Current
Default inventory status		Specific gravity 0.0000 Shape code	Item Characteristics
		t III	
Carrying rate	.000		
Country of origin	(blank) ▼	Ingineering Characteristics	
Item bitmap or icon	▼	Implementation status DES Configured item Not configured	
MRO item		Drawing number Type (none)	
Fr		Assemblies where-used 0 Low level code 0	
Effective from date	01/01/1940		
Effective to date	/ / Current		
Auto sync	No Current		
Maintenance control	Local ▼		
		Replication	
		Replication destination Q ⊕→	
•			
- Iledes	Const	-l-	
Update	Cancel He	elp	
			<b>4</b>



#### Create PO Not Allowed








#### Create PO Not Allowed








#### Create PO Not Allowed








Moving Forward with XA



#### Create New Manufactured Item Revision







#### Create New Item Revision




(HH) Create Item Revision - NJ, DK002,	X
File Display Maintain Customize User Navigation Help	
Pefault	
DK002 XA Tues Ed Manufactured Item Site: NJ Arrow Production Rev:	
Description ten type ten ten type threntory code Inventory code In	General Engineering Procurement Inventory Sales Costs Iranslations Item Categories9 Engineering Groups History Current Item Characteristics
Create Cancel Help	
	Pending



#### Create MO Not Allowed








#### Create MO Not Allowed








#### Create CO Not Allowed








#### Create CO Not Allowed








#### Create CO Not Allowed








Moving Forward with XA



#### Implementation Status is on Item Revision







## Implementation Status – Item Rev 💆




🥃 (HH) Change Item F	Revision - NJ, DK002,		X
File Display Maintain (	Customize <u>U</u> ser <u>N</u> avigation <u>H</u> elp		
Default		B   등 등   후 등 등 등 수 선 등 을 을 을 다 등   등 년 선 선 등 후 수	
<u> </u>	s Ed Manufactured Item Site: NJ Arrow Production		
Description	XA Tues Ed Manufactured Item	Physical Characteristics	<u>G</u> eneral
Item type	1 = Assembly   ✓	Stocking UM EA = EACH -	Engineering
Inventory code	Inventory 🔻 🧷	•	Procurement Inventory
	arronary v	Unit weight 0.000 Height 0.000	Sales
Item class	(blank) ▼	Weight UM (blank)    Length 0.000	Costs
Value class		Supplementary weight 0.0000 Width 0.000	<u>T</u> ranslations
Department		Supplementary weight UM (blank) Inside diameter 0.000	Item Categories9
Item accounting class	1 = FINISHED GOODS	Unit volume 0,000 Outside diameter 0,000	Engineering Groups
		Volume UM (blank)   ▼   □ Dimensional UM (blank)	<u>H</u> istory
Stocking UM	EA = EACH 🔻 🥖	Specific gravity 0,0000 Shape code	Current Item Characteristics
Default inventory status	S 🔀		item characteristics
		• III	
Carrying rate	.000	Engineering Characteristics	
Country of origin	(blank) ▼		
Item bitmap or icon	▼	Not configured.	
MRO item		Drawing number Type (none) →	
		Assemblies along used 0 Low level code 0	
Effective from date	01/01/1940		
Effective to date	//	·	
Auto man	Current		
Auto sync  Maintenance control	No Local	Replication	
	Local	Replication destination Q 🚭 🖰	
4	""		
		· · · ·	
Update	Cancel	Help	
			<u> </u>
Ľ			12



#### R9 Has New Site-Item Object








## R9 Has New Site-Item Object






Double-click on desired Site



## R9 Has New Site-Item Object








## Site-Item Object






Double-click on desired Item Revision



## Site – Item Object in R9





#### Item Revision Cardfile is displayed



#### **Default Implementation Status**




(ALL): This implementation status is the default implementation status assigned to non-configured item revisions. Initially, all of the status codes for this implementation status are set to Yes. At Release 9, this implementation status is assigned to any existing, non-configured item revisions that do not have an implementation status and to any new non-configured item revisions created with an implementation status of (blank).

(CFG): This implementation status is the default implementation status assigned to configured item revisions. Initially, all of the status codes for this implementation status are set to Yes except Maintain bill of material and Maintain routing. At Release 9, this implementation status is assigned to any existing, configured item revisions that do not have an implementation status and to any new configured item revisions created with an implementation status of (blank).



## Defaults can be Changed






Double-click on Application Settings Icon



## Default can be Changed





Double-click on EPDM



## Defaults can be Changed



Enterprise Product Data Management  Default site  Inclinate Feature / Options Inclinat	Display Ma	aintain <u>N</u> avigation <u>H</u> elp			
Default site NJ Default site NJ Default site NJ Default site NJ Default costsing Default implementation status Default implementation status Default configured	fault 🔻	<b>₽ ≤</b>   <b>/</b>			
Activate Feature / Options Activate Feature / Options Activate product costing  Activate Peature / Options  Activate Peature / Optio	Enterpri	se Product Data Management			
Activate Feature / Options Activate Feature / Options Activate product costing  Activate Peature / Options  Activate Peature / Optio					General
Activate product costing  Calculate product costing  Calculate cost using facility standard efficiency  Default implementation status  (ALL)  Default configured implementation status  (CFG)  Acting Summaries  Summary cost 1  Purchase  Material  Outside operations  Purchase overhead  Setup labor  Run labor  Setup machine  Manufacturing overhead  User cost 1  Duty  User cost 2  Freight  User cost 3  Surcharge  User cost 4  Other cost 4		/O. II			F
Calcult acost using facility standard efficiency Default implementation status  (ALL) Default implementation status  (CFG)  Acting Summaries  Summary cost 1  Purchase  Material  Outside operations  Purchase overhead  Setup labor  Run labor  Setup machine  Run machine  Manufacturing overhead  User cost 1  Duty  User cost 2  Freight  User cost 4  Other cost 4  Other cost 4		•			
Default implementation status  (ALL) Default configured implementation status  (CFG)  Summary cost 1  Purchase  Pur-overhead  Material  Outside operations  Purchase overhead  Setup labor  Run labor  Setup machine  Run machine  Manufacturing overhead  User cost 1  Duty  User cost 2  Freight  User cost 4  Other cost 4					≡
Default configured implementation status  (CFG)  Summary cost 1  Purchase  Pur-overhead  Outside operations  Purchase overhead  Setup labor  Run labor  Setup machine  Run machine  Manufacturing overhead  User cost 1  User cost 3  Surcharge  User cost 4  Other cost 4					
Summary cost 1  Purchase  Material  Outside operations  Purchase overhead  Setup labor  Run labor  Setup machine  Run machine  Manufacturing overhead  User cost 1  User cost 2  Freight  User cost 4  Other cost 4					
Material Outside operations Purchase overhead Setup labor Run labor Setup machine Run machine Manufacturing overhead User cost 1 Duty User cost 2 Freight User cost 3 Surcharge User cost 4 Other cost 4	_		(Cru)		
Material Outside operations Purchase overhead Setup labor Run labor Setup machine Run machine Manufacturing overhead  User cost 1 Duty User cost 2 Freight User cost 3 Surcharge User cost 4 Other cost 4			Summary cost 1	Summary cost 2	:
Outside operations Purchase overhead Setup labor Run labor Setup machine Run machine Manufacturing overhead User cost 1 Duty User cost 2 Freight User cost 3 Surcharge User cost 4 Other cost 4					] [
Purchase overhead  Setup labor  Run labor  Setup machine  Run machine  Manufacturing overhead  User cost 1 Duty  User cost 2 Freight  User cost 3 Surcharge  User cost 4 Other cost 4		Material	✓		
Setup labor Run labor Setup machine Run machine Manufacturing overhead User cost 1 Duty User cost 2 Freight User cost 3 Surcharge User cost 4 Other cost 4		Outside operations	✓		
Run labor Setup machine Run machine Manufacturing overhead  User cost 1 Duty User cost 2 Freight User cost 3 Surcharge User cost 4 Other cost 4		Purchase overhead		✓	
Setup machine Run machine Manufacturing overhead User cost 1 Duty User cost 2 Freight User cost 3 Surcharge User cost 4 Other cost 4					
Run machine Manufacturing overhead  User cost 1 Duty User cost 2 Freight User cost 3 Surcharge User cost 4 Other cost 4					
Manufacturing overhead  User cost 1 Duty  User cost 2 Freight  User cost 3 Surcharge  User cost 4 Other cost 4					
User cost 1 Duty User cost 2 Freight User cost 3 Surcharge User cost 4 Other cost 4					
User cost 2 Freight User cost 3 Surcharge User cost 4 Other cost 4					
User cost 3 Surcharge User cost 4 Other cost 4		Duty	<b>▽</b>		
User cost 4 Other cost 4		Freight	<b>▽</b>		
Other cost 4		Surcharge	<b>▽</b>		
	User cost 4	Other cost 4			
Update Cancel Help	٠	III			F
Update Cancel Help					
	Update	Cancel	Help		





## Questions?





